



US00D810948S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,948 S**
Wielunski et al. (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **BIOMETRIC HEALTH DEVICE FOR ANIMALS**
(71) Applicants: **Alan Wielunski**, Tel Aviv (IL); **Marton Miklos**, Budapest (HU); **Orsolya Korbacska-Kutasi**, Benye (HU)

D701,964 S * 4/2014 Yoneta D24/187
D717,955 S * 11/2014 Bishay D24/167
D726,567 S * 4/2015 De Jong D10/70
D755,653 S * 5/2016 Shinmei D10/47
D755,974 S * 5/2016 Chen D24/165
D760,098 S * 6/2016 Benoit D10/70
D783,838 S * 4/2017 Zhao D24/186

(72) Inventors: **Alan Wielunski**, Tel Aviv (IL); **Marton Miklos**, Budapest (HU); **Orsolya Korbacska-Kutasi**, Benye (HU)

OTHER PUBLICATIONS

Steed, posted at angel.co, no posting date given, [online], [site visited Dec. 18, 2017], available from internet: URL: <https://angel.co/steed>.*

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/582,313**

Primary Examiner — Anhdao Doan
Assistant Examiner — Mary Malley

(22) Filed: **Oct. 26, 2016**

(51) **LOC (11) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/186**

(57) **CLAIM**

The ornamental design for a biometric health device for animals, as shown and described.

(58) **Field of Classification Search**
USPC D24/186, 165, 169, 107, 133, 158, 187, D24/232; D10/46, 78, 104.1; D14/402, D14/408, 409
CPC ... A61B 5/0064; A61B 5/0091; A61B 5/4312; A61B 2560/0431; A61B 2560/0456; A61B 2562/0247; A61B 8/4455; A61B 8/4472; A61B 5/14532; A61B 5/0002; A61B 5/118; A61B 5/157; A61B 5/002; A61B 5/01; A61B 5/411; A61B 5/742; A61B 5/7465

DESCRIPTION

FIG. 1 is a bottom front perspective view of an ornamental design for a biometric health device for animals; FIG. 2 is a top rear perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a right side elevation view thereof; FIG. 6 is a left side elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom view thereof; and, FIG. 9 is a bottom front perspective view thereof, showing the attachment element in an open position to expose profile of the attachment element.


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,759 S * 11/2007 Barker D24/186
D608,451 S * 1/2010 Hanoun D24/186

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9