



US00D846995S

(12) **United States Design Patent**  
**El Beaini**

(10) **Patent No.:** **US D846,995 S**

(45) **Date of Patent:** **\*\* Apr. 30, 2019**

(54) **DUAL CHAMBERED FLUID DISPENSER**

(71) Applicant: **Samer Najib El Beaini**, Dubai (AE)

(72) Inventor: **Samer Najib El Beaini**, Dubai (AE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/591,639**

(22) Filed: **Jan. 23, 2017**

(51) **LOC (11) Cl.** ..... **09-01**

(52) **U.S. Cl.**

USPC ..... **D9/684**; D9/688

(58) **Field of Classification Search**

USPC ..... D9/682, 684-694, 715, 719, 723-729,  
D9/737, 738, 741, 745-747, 763-783,  
D9/500, 504, 521, 529, 436, 445,  
D9/447-449; 222/129, 135, 139, 140,  
222/143, 182, 635, 252, 255, 265, 278,  
222/330, 33, 1; 220/4.26, 4.27, 504, 524,  
220/915, 916

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,889,065 A \* 6/1959 Lawlor ..... A45D 34/02  
215/12.1

D222,800 S \* 1/1972 Donoghue ..... D9/504  
(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 302929419 \* 9/2014  
EM 003870013-0001 \* 7/2017

(Continued)

*Primary Examiner* — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Ashok Tankha; Lipton,  
Weinberger & Husick

(57) **CLAIM**

The ornamental design for a dual chambered fluid dispenser,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of an ornamental design for  
a dual chambered fluid dispenser with caps in a closed  
position;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a left side elevation view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a top perspective view thereof, with the caps in an  
open position;

FIG. 10 is a bottom perspective view thereof, with the caps  
in the open position;

FIG. 11 is a front elevation view thereof, with the caps in the  
open position;

FIG. 12 is a rear elevation view thereof, with the caps in the  
open position;

FIG. 13 is a right side elevation view thereof, with the caps  
in the open position;

FIG. 14 is a left side elevation view thereof, with the caps  
in the open position;


FIG. 15 is a bottom view of the dual chambered fluid  
dispenser shown in FIG. 14, with the cap removed for a clear  
disclosure of the underlying portions;

FIG. 16 is a top plan view of the dual chambered fluid  
dispenser shown in FIG. 14, with the cap removed for a clear  
disclosure of the underlying portions; and,

FIG. 17 is a sectional view of the dual chambered fluid  
dispenser shown in FIG. 14, taken along a section line 17-17  
in FIG. 16.

The broken lines in FIG. 17 are included for the purpose of  
illustrating the interior portions of the dual chambered fluid  
dispenser that form no part of the claimed design.

**1 Claim, 15 Drawing Sheets**



(58) **Field of Classification Search**

CPC ..... B65D 21/0209; B65D 81/3205; B65D 81/3211; B65D 81/325; B65D 81/3255; B65D 83/14; B65D 83/36; B65D 83/38; B65D 83/40; B65D 83/68; B65D 83/75; B65D 83/752; B65D 83/753; B65D 83/7532; B65D 1/04; B65D 1/06; B65D 1/16; B65D 1/165; B65D 1/20; B05B 11/0035; B05B 11/0037; B05B 11/0056; B05B 11/0059; B05B 11/0078; A45D 2034/005; A45D 2034/007; A45D 34/00; A45D 34/02; A45D 34/04; A45D 34/06; A45D 34/041; A45D 34/0425; A45D 2200/05; A45D 2200/051; A45D 2200/052; A45D 2200/053; A45D 2200/054; A45D 2200/055; A45D 2200/056; A45D 2200/057; A45D 2200/058

5,337,912 A \* 8/1994 Jochem ..... B65D 83/40 215/321  
 5,499,738 A \* 3/1996 Burleigh ..... B65D 1/04 215/395  
 D383,980 S \* 9/1997 Abfier ..... D9/502  
 5,803,268 A \* 9/1998 Levy ..... A45D 34/00 132/315  
 5,884,796 A \* 3/1999 Hallmark ..... A47J 41/02 220/23.88  
 D421,390 S \* 3/2000 DuGrenier ..... D9/684  
 D438,469 S \* 3/2001 Breidenbach ..... D9/504  
 6,196,421 B1 \* 3/2001 Williams ..... B65D 83/20 222/129  
 7,770,755 B2 \* 8/2010 Arghyris ..... B05B 11/3085 222/135  
 D708,961 S \* 7/2014 Jung ..... D9/723  
 D723,393 S \* 3/2015 Belafonte ..... D9/772  
 D810,581 S \* 2/2018 Shalev ..... D9/684  
 D817,633 S \* 5/2018 Dutton ..... D3/203.3  
 2015/0166221 A1 \* 6/2015 Grodsky ..... B65D 21/0209 222/143

See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

4,063,665 A \* 12/1977 Schneider ..... B65D 81/3205 222/129  
 D277,361 S \* 1/1985 Tada ..... D9/741  
 D279,166 S \* 6/1985 Tada ..... D9/692  
 D279,992 S \* 8/1985 Gribb ..... 401/199  
 D337,254 S \* 7/1993 Nakagawa ..... D9/435

FOREIGN PATENT DOCUMENTS

EP 0574684 A2 \* 12/1993 ..... B05B 9/0822  
 EP 1199255 A1 \* 4/2002 ..... B65D 83/75  
 EP 2377778 A1 \* 10/2011 ..... B65D 83/38  
 FR 127195-0001 \* 2/1979  
 IE 21854-0001 \* 12/2014  
 WO WO-0024650 A1 \* 5/2000 ..... B65D 83/752  
 WO WO-0172602 A2 \* 10/2001 ..... B65D 81/3205  
 WO WO-2006070888 A1 \* 7/2006 ..... B65D 83/205

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17