



US00D922577S

(12) **United States Design Patent**
Ayers

(10) **Patent No.:** **US D922,577 S**

(45) **Date of Patent:** **** Jun. 15, 2021**

- (54) **CAVITY LINER PLACEMENT TOOL**
- (71) Applicant: **Evelyn Anne-Bauschka Ayers**, San Diego, CA (US)
- (72) Inventor: **Evelyn Anne-Bauschka Ayers**, San Diego, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/737,068**
- (22) Filed: **Jun. 5, 2020**

| | | | | | |
|--------------|------|---------|----------|-------|-----------|
| 8,241,291 | B2 * | 8/2012 | Yamada | | A61C 3/00 |
| | | | | | 606/86 R |
| 10,307,228 | B2 * | 6/2019 | Cho | | A61C 3/00 |
| D882,088 | S * | 4/2020 | Tang | | D24/152 |
| 2004/0265778 | A1 * | 12/2004 | Klif | | A61C 3/00 |
| | | | | | 433/143 |
| 2006/0084032 | A1 * | 4/2006 | Tipton | | A61C 3/00 |
| | | | | | 433/141 |
| 2006/0257820 | A1 * | 11/2006 | Davis | | A61C 3/00 |
| | | | | | 433/141 |
| 2010/0184000 | A1 * | 7/2010 | Beach | | A61C 3/00 |
| | | | | | 433/143 |
| 2012/0107770 | A1 * | 5/2012 | Beach | | A61C 3/00 |
| | | | | | 433/143 |
| 2018/0085192 | A1 * | 3/2018 | Lasner | | A61C 3/14 |
| 2018/0235727 | A1 * | 8/2018 | Rubino | | A61C 3/00 |
| 2018/0333243 | A1 * | 11/2018 | Kim | | A61C 3/00 |
| 2019/0380812 | A1 * | 12/2019 | Seeralan | | A61C 3/00 |
| 2020/0376646 | A1 * | 12/2020 | Wink | | B25G 1/02 |

Related U.S. Application Data

- (63) Continuation-in-part of application No. 16/041,762, filed on Aug. 13, 2018, now abandoned.
- (51) **LOC (13) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/149**; D24/152
- (58) **Field of Classification Search**
USPC D24/152-154, 176, 146-147, 149, 133
CPC A61C 3/00; A61C 3/02; A61C 3/08; A61C 3/10; A61C 1/10; A61C 5/00; A61C 17/0202; A61C 17/225
See application file for complete search history.

* cited by examiner

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Ashok Tankha; Lipton Weinberger & Husick

(57) **CLAIM**

The ornamental design for a cavity liner placement tool, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|----------|-------|-----------|
| D53,958 | S * | 10/1919 | Zurbrigg | | D24/149 |
| D115,326 | S * | 6/1939 | Chott | | D24/149 |
| D259,660 | S * | 6/1981 | Sosnay | | D24/149 |
| 4,521,191 | A * | 6/1985 | Ehrnford | | A61C 3/08 |
| | | | | | 433/164 |
| 5,127,833 | A * | 7/1992 | Kline | | A61C 3/00 |
| | | | | | 433/141 |
| 5,169,313 | A * | 12/1992 | Kline | | A61C 3/00 |
| | | | | | 433/143 |
| 5,816,806 | A * | 10/1998 | Herbst | | A61C 3/00 |
| | | | | | 433/141 |

DESCRIPTION

FIG. 1 is a front right side perspective view of a cavity liner placement tool;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7